



## Chart Assistant (CA) user manual.

Every now and then you will receive new base CD's for SENC charts. Together with this you will always get a new license disk.

1. Shut down Navi-Sailor on Master and Backup stations
2. Start CA in Advanced mode
3. Choose the SENC format at the top left corner of the CA window




4. Insert Diskette/USB stick with new license files
5. Press LICENSE and select the appropriate media




6. After selecting the media, you will get confirmation of new installed license
7. Press Close
8. Insert the first chart CD, press Disk and select the CD drive




9. Press OK to start the chart installation



10. An installation report will be displayed. Make sure it looks OK and press Close



11. Repeat steps 8-10 for all new base CDs and the latest weekly chart correction CD (only the latest weekly correction CD needs to be installed).
12. Chart Assistant should now contain all your new charts. To copy these charts to all networked stations, select the Network tab at the top and press “Create new collection. Update clients”



13. Wait a couple of minutes for the charts to be copied, and then close Chart Assistant.

If you do not have online chart correction service, you will get a CD with the latest updates every week.

You might also get a new license along with the CD. This typically happens when a hydrographical office splits one chart in to new ones.

To install these corrections, just follow the guide above.


### Order updates from Transas online system

You can order updates of charts in different ways


- By route. Meaning, CA will update the charts on the actual route which you are going to sail, with a corridor width set by your self
- By area you choose in the window
- All your charts.

### Order corrections by manual selection:


- Shut down Navi-Sailor on Master and Backup stations
- Start CA in Advanced mode
- Select SENC format
- Insert USB stick
- Go to folder CATALOGUE
- Mark SHOW SHIP COLLECTION.
- Manually create a selection, either by marking individual charts in the list, or by using the selection tools in the chart area.




8. Press UPDATES in the bottom left hand corner



9. Press OPTIMIZE REQUEST




**10. Press SEND REQUEST**




11. The request will be saved in USB:/CA\_Outbox, send it as an attachment to [chartservice@transas.com](mailto:chartservice@transas.com)

**Order corrections by route**

- 12. Shut down Navi-Sailor on Master and Backup stations
- 13. Start CA in Advanced mode
- 14. Select SENC format
- 15. Insert USB stick
- 16. Go to tab CATALOGUE
- 17. Mark SHIP COLLECTION



**18. Press ADD BY ROUTE**




19. Press the dropdown menu ROUTES and select the appropriate route

Route				
Current Request		Old Requests		
Route name:		Test		
	Name	Latitude	Longitude	
1	Test	57° 54.249 N	011° 32.394 E	
2		57° 52.051 N	011° 30.268 E	
3		57° 50.783 N	011° 29.491 E	
4		57° 50.689 N	011° 16.762 E	
5		57° 49.529 N	011° 08.159 E	
6		57° 47.551 N	010° 54.715 E	
7		57° 47.677 N	010° 44.704 E	

20. You will see all your waypoints in the window. On the bottom you will see CHART CORRIDOR SELECTION. Choose the width you want to have. If you choose 5NM, it means the corrections will be made for all charts within 2,5NM from each side of the course line.


21. Press ADD TO SELCETION

22. Press UPDATES in down left hand corner




23. Press OPTIMIZE REQUEST


24. Mark SEND ONCE and SELECTION ONLY




25. Press SEND REQUEST



26. In the window below, press FINISH



27. Press OK



28. Remove the USB stick


29. Bring the USB stick to your email computer

30. Open an email and attach the file from USB:/CA\_outbox to the email

31. Send the email to [chartservice@transas.com](mailto:chartservice@transas.com). Leave the subject line and the message body empty.

## Order of new charts license

1. Shut down Navi-Sailor on Master and Backup stations
2. Start CA in Advanced mode
3. Select SENC format at the top left corner of the CA window




4. Select tab CATALOGUE at the top
5. Make sure that the catalogue is up to date




6. If not up to date, order and install a fresh catalogue as shown in picture. When not sure, order a new catalogue.
7. You can order chart licenses in the same way as ordering chart corrections; either by route, or by manual selection.

To order charts by route, do the following:

8. Insert USB stick
9. Select tab CATALOGUE
10. Mark SHIP COLLECTION
11. Press ADD BY ROUTE




12. Press the dropdown menu ROUTES and select the appropriate route



13. You will see all your waypoints in the window. On the bottom you will see CHART CORRIDOR SELECTION. Choose the width you want to have. If you choose 5NM, it means the corrections will be made for all charts within 2,5NM from each side of the course line.

14. Press NEW REQUEST

15. Press NEW LICENSES in the bottom left corner



16. Press OPTIMIZE REQUEST

17. Click in SEND ONCE and SELECTION ONLY

18. Press SEND REQUEST

19. Press FINISH in the information window

20. Press OK in the information window

21. Remove the USB stick

22. Bring the USB stick to your email computer

23. Open an email and attach the file from USB:/CA\_outbox to the email

24. Send the email to [chartservice@transas.com](mailto:chartservice@transas.com). Leave the subject line and the message body empty.

25. Follow Installation of updates/charts/license received by email

To order charts by manual selection:

26. Shut down Navi-Sailor on Master and Backup stations

27. Start CA in Advanced mode

28. Select SENC format


29. Insert USB stick

30. Go to folder CATALOGUE

31. Mark SHOW ALL

32. Manually create a selection, either by marking individual charts in the list, or by using the selection tools in the chart area.

33. Press NEW LICENSES at the bottom left corner




34. Press OPTIMIZE REQUEST


35. The request will be saved in USB:/CA\_Outbox, send it as an attachment to [chartservice@transas.com](mailto:chartservice@transas.com)

## Installation of updates/charts/license received by email


1. Shut down Navi-Sailor on Master and Backup stations
2. Copy the attachments to CA\_inbox on the USB stick
3. Insert the USB stick in the Backup computer
4. Start CA in Advanced mode on the Backup station
5. CA will automatically check the USB stick every minute, so please wait for it to detect the new items (bild 24).



6. Press OK to install the new items.
7. An installation report will be presented; make sure it looks OK, then close it



8. Select the network tab and press “Update clients” to replicate the updated chart database to all networked stations (bild 26).



General note: After successful installation of new items, the email attachments will be automatically deleted from USB:/CA\_Inbox. However, you will need to manually remove the files from USB:/CA\_Outbox.